

**1<sup>ST</sup> CHOICE EQUIPMENT EXPERTS**



JET HEAT

HEATING

AIR CONDITIONING

DEHUMIDIFICATION

SOLAR HYBRID LIGHT TOWERS



**1<sup>ST</sup> CHOICE EQUIPMENT EXPERTS**

# REIC SPECIALTY

## WHO WE ARE

### Private Equity – Backed By Kinderhook Industries

- An Experienced Investment Company With a Strong Track Record of Success
- Over \$5 Billion of Committed Capital

### WHAT WE'RE MADE OF

- 6 Specialty Rental Brands Serving North America
- 20 Branches – 13 States and 3 Provinces
- Worldwide Intellectual Property Ownership for Jet Heat Flameless Heaters
- North American Distribution For Verdegro Solar Hybrid Light Towers
- One of the Youngest and Largest Climate Control Fleets in North America
- Over 200 Employees and growing
- Executive Team Over 150 Years Specialty Rental Equipment Experience

### LOCATIONS

#### UNITED STATES

South Windsor, Connecticut  
South Plainfield, New Jersey  
Wilmington, Delaware  
Chesapeake, Virginia  
Fairmont, West Virginia  
Marysville, Ohio  
Livonia, Michigan

St. Charles, Illinois  
Chaska, Minnesota  
Williston, North Dakota  
Denver, Colorado  
Brighton, Colorado  
Edmond, Oklahoma  
Lakewood, Washington  
Midland-Odessa, Texas

#### CANADA

Brantford, Ontario  
Red Deer, Alberta  
Fort McMurray, Alberta  
Fort St. John, British Columbia  
Anzac, Alberta  
Sudbury, Ontario  
Kitimat, British Columbia





**1<sup>ST</sup> CHOICE EQUIPMENT EXPERTS**



**REIC SPECIALTY.COM**





# RENTAL AIR CONDITIONING

## SPECIFICATIONS

**12  
TON  
AC**



|                         |                     |
|-------------------------|---------------------|
| Cooling Capacity        | 135,000 BTU         |
| Refrigerant             | R-410A              |
| Voltage / Phase / Hertz | 480/3/60            |
| Full Load Amps          | 63                  |
| Weight                  | 2,200               |
| L x W x H               | 95.5" x 35" x 75.7" |

**25  
TON  
AC**



|                         |                          |
|-------------------------|--------------------------|
| Cooling Capacity        | 25 Tons                  |
| Refrigerant             | R-410A                   |
| Voltage / Phase / Hertz | 480/3/60                 |
| Full Load Amps          | 48 Cooling / 123 Heating |
| Weight                  | 3,200                    |
| L x W x H               | 92" x 128" x 63"         |

**30  
TON  
AC**



|                         |                       |
|-------------------------|-----------------------|
| Static Pressure / CFM   | 6.5" static @4,500CFM |
| Refrigerant             | R-410A                |
| Voltage / Phase / Hertz | 480/3/60              |
| Full Load Amps          | 114                   |
| Weight                  | 5,000                 |
| L x W x H               | 97" x 72" x 98.25"    |

**45  
TON  
AC**



|                         |                       |
|-------------------------|-----------------------|
| Static Pressure / CFM   | 6.5" static @6,000CFM |
| Refrigerant             | R-410A                |
| Voltage / Phase / Hertz | 480/3/60              |
| Full Load Amps          | 125                   |
| Weight                  | 7,200                 |
| L x W x H               | 88" x 96" x 99.75"    |

**80  
TON  
AC**



|                         |                 |
|-------------------------|-----------------|
| Cooling Capacity        | 960,000BTU      |
| Refrigerant             | R-410A          |
| Voltage / Phase / Hertz | 480/3/60        |
| Full Load Amps          | 218             |
| Weight                  | 5,700           |
| L x W x H               | 12' x 8' x 8'2" |

*Feature Units. Full product offering available upon request.*

# RENTAL AIR CONDITIONING

## PORTABLE COOLING

1 TON  
TO  
5 TON  
AC



| MODEL   | COOLING/BTU | CFM   | POWER               | WEIGHT<br>W x D x H        | REFRIGERANT |
|---------|-------------|-------|---------------------|----------------------------|-------------|
| 1 Ton   | 13,200      | 405   | 115V 60H<br>12 Amps | 185 lbs<br>20.6x26.4x41"   | R410A       |
| 1.5 Ton | 16,800      | 470   | 115V 60H<br>20 Amps | 181 lbs<br>20.6x26x41"     | R410A       |
| 2 Ton   | 21,000      | 560   | 208V 60H<br>15 Amps | 196 lbs<br>20.6x26.4x41"   | R410A       |
| 3 Ton   | 37,000      | 882   | 208V 60H<br>30 Amps | 254 lbs<br>26.0x33.3x52.4" | R410A       |
| 5 Ton   | 60,000      | 2,000 | 208V 60H<br>50 Amps | 661 lbs<br>28.9x 1.5x59.8" | R410A       |

## PORTABLE COOLING WITH HEAT PUMP

1 TON &  
1.5 TON



| MODEL                   | COOLING/BTU | CFM | POWER               | WEIGHT<br>W x D x H      | REFRIGERANT |
|-------------------------|-------------|-----|---------------------|--------------------------|-------------|
| 1 Ton w/<br>Heat Pump   | 13,200      | 305 | 115V 60H<br>20 Amps | 230 lbs<br>20.6x26.4x41" | R410A       |
| 1.5 Ton w/<br>Heat Pump | 16,800      | 400 | 115V 60H<br>20 Amps | 190 lbs<br>20.6x26.4x41" | R410A       |

## LGR DEHUMIDIFIERS

280  
TO  
400  
CFM



| MODEL    | CFM | WATER REMOVAL | DIMENSIONS<br>W x D x H | WEIGHT  | POWER            |
|----------|-----|---------------|-------------------------|---------|------------------|
| 7000 XLi | 280 | 130 PTS/Day   | 20x33.5x20"             | 106 lbs | 115V<br>8.8Amps  |
| 3500 i   | 400 | 170 PTS/Day   | 24x 40.5x23             | 157 lbs | 120V<br>10.8Amps |

PHOENIX  
250  
MAX



| MODEL   | CFM | WATER REMOVAL | DIMENSIONS<br>W x D x H | WEIGHT  | POWER           |
|---------|-----|---------------|-------------------------|---------|-----------------|
| 250 Max | 365 | 145 PTS/Day   | 20x23x40"               | 119 lbs | 120V<br>8.2Amps |

Feature Units. Full product offering available upon request.

# PORTABLE COOLING & DEHUMIDIFICATION



## FEATURES

- Multiple power Voltages available (110V-480V)
- Easy to setup, operate and maneuver
- Portable and mobile units with easy to roll casters attached
- 110V operation on many units - simply plug into outlet and cooling begins
- Air cooled or water-cooled options in fleet
- Heat pump options available (heating and cooling in one unit)
- Portable heating and cooling available with 120V unit
- Contact for 24/7 emergency delivery available
- Delivery, installation and removal available

## Portable LGR


- 120V "plug and play"
- Control moisture quickly and easily
- Built-in pumping system with attached drainage hose
- Easy to operate and maneuver
- Handle and wheels for ease of movement

## Applications:

For use in areas with high humidity, especially in construction sites and in facilities following fire or water damage

## PORTABLE AIR CONDITIONING FOR MANY APPLICATIONS:

Office and commercial spaces for short term cooling, Temporary cooling in computer rooms and for server racks, assisted living, hospitals and medical facilities, commercial and retail spaces, manufacturing areas, educational settings (classrooms and lecture halls)





**1<sup>ST</sup> CHOICE EQUIPMENT EXPERTS**



**REIC SPECIALTY**

**REICSPECIALTY.COM | INFO@REICSPECIALTY.COM**